



SAFETY DATA SHEET

1. PRODUCT IDENTIFICATION

Name of product: **SUPER VALKARN G CFC-FREE**

Manufacture Information: MARUNI INDUSTRY CO., LTD.
11-1 Shariji 3-chome, Ikuno-ku, Osaka Japan 544-0022
Phone +81-6-6716-4171

Emergency advice: Phone +81-6-6716-4171

Recommended use(s): Adhesive

2. Hazards Identification

GHS Classification

Flammable Liquid	Category 2
Acute toxicity(Oral)	Category 5
Skin corrosion/irritation	Category 2
Eye corrosion/irritation	Category 2A
Skin sensitization	Category 1
Specific target organ toxicity - Single exposure	Category 3(drowsiness and dizziness, respiratory irritation)
Specific target organ toxicity - Repeated exposure	Category 2(liver, kidney)
Acute toxicity to the aquatic environment	Category 2
Chronic toxicity to the aquatic environment	Category 2

Label Elements

Pictogram and Symbol :



Signal word :

Danger



SAFETY DATA SHEET

Hazard statement :

H225	Highly flammable liquid and vapour
H303	May be harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary statements :

Prevention

P210	Keep away from heat/sparks/open flames / hot surface . No smoking.
P241	Use rated explosion-proof electrical equipment.
P242	Use only non-sparking tools.
P280	Wear protective gloves / protective clothing/eye protection/face protection.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the work place.
P261	Avoid breathing dust or vapors
P264	Wash exposed skin thoroughly after handling.
P273	Avoid release to the environment.

Response

P370+P378	In case of fire: Use dry chemical powder, appropriate foam, carbon dioxide for extinction.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor / physician.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor / physician.
P337+P313	IF eye irritation persists: Get medical advice/attention.
P303+P361+P353	IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P363	Wash contaminated clothing before reuse.

Storage

P403+P233+P235	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.


Maruni

SAFETY DATA SHEET

Disposal

P501

Dispose of contents/ container in accordance with local/ regional/ national/ international regulations.

3. Composition/ information on ingredients

Chemical Identity Solution of natural rubber in solvent

Synonyms - - -

Chemical Formula Mixture

CAS No.	Component Name	Percent
68513-03-1	Solvent naphtha	50 - 60
108-87-2	Methyl cyclo hexane	30 - 40
Mixture	Natural rubber	5 - 10
63393-89-5	Coumarone-indeneresins	0 - 1
4314-14-1	C.I.Solvent Yellow 16	0 - 1
17354-14-2	C.I.Solvent Blue 35	0 - 1

4. First aid and Measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water, Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never make him/her vomit by force. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.



SAFETY DATA SHEET

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry powder, Carbon dioxide, Alcohol-resistant foam. Use water spray or fog to control fire fumes.

Unsuitable extinguishing media

Do not use a solid water stream.

5.2 Special hazards arising from the substance or mixture

Specific hazards

Exposure to fire may cause containers to rupture / explode.

Hazardous combustion products

If involved in a fire, the following toxic and / or corrosive fumes may be produced by thermal decomposition: Carbon dioxide and Carbon monoxide

5.3 Advice for fire-fighters

Specific methods

If possible, stop flow of product. If leaking, do not extinguish a flame unless absolutely necessary. Spontaneous / explosive re-ignition may occur. Extinguish any other fire. Move container away or cool with water from a protected position. Prevent water used in emergency cases from entering sewers and drainage systems.

5.4 Further information

No data available

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove ignition sources and ventilate the area. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid raising dust and avoid contact with skin and eyes.

6.2 Environmental precautions

Prevent spills from entering sewers, watercourses or low areas.



SAFETY DATA SHEET

6.3 Methods and materials for containment and cleaning up

Do not touch spilled material without suitable protection (See section 8). After material is completely picked up, wash the spill with soap and water, and ventilate the area. Put all wastes in a plastic bag for disposal and seal it tightly. Remove, clean, or dispose of contaminated clothing.

6.4 Reference to other sections

For disposal see section 13.

7. Handling and storage

7.1 Precautions for safe handling

Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Handle material with suitable protection.

7.2 Conditions for safe storage, including any incompatibilities

Store away from sunlight in well-ventilated dry place at room temperature (preferably cool place). Keep container tightly closed.

8. Exposure controls/ Personal protection

8.1 Engineering measures

Use exhaust ventilation to keep airborne concentrations below exposure limits.
Use adequate ventilation.

8.2 Ventilation

Local exhaust; recommended, mechanical(General) ; recommended

8.3 Control parameters

Component Name	ACGIH TLV-TWA	OSHA PEL-TWA
Solvent naphtha	400 ppm	-
Methyl cyclo hexane	400 ppm	-
Natural rubber	-	-
Coumarone-indeneresins	-	-
C.I.Solvent Yellow 16	-	-
C.I.Solvent Blue 35	-	-

8.4 Personal protection

Respiratory protection	Safety masks
Hand protection	Chemical resistance gloves
Eye protection	Safety glasses(goggles)
Skin protection	Protective clothing



SAFETY DATA SHEET

9. Physical and Chemical properties

element 1 : Solvent naphtha
 ## element 2 : Methyl cyclo hexane

Information on basic physical and chemical properties

a) Appearance	Green, liquid	
b) Odour	Petroleum-like	
c) Odour Threshold	No data available	
d) pH	No data available	
e) Melting point/freezing point	-127~ -95°C	
f) Initial boiling point and boiling range	90~ 125°C	
g) Flash point	-11.5°C(element 1)	-4°C(element 2)
h) Evaporation rate	No data available	
i) Upper explosive limits	7 vol%(element 1)	6.7 vol%(element 2)
Lower explosive limits	1 vol%(element 1)	1.1 vol%(element 2)
j) Vapour pressure	7 kPa at 20°C(element 1)	6 kPa 25°C(element 2)
k) Vapour density	3.6 (element 1)	3.4 (element 2)
l) Relative density	0.741 g/ml	
m) Water solubility	Negligible	
n) Partition coefficient : n-octanol/water	No data available	
o) Auto-ignition temperature	No data available(element 1)	245°C(element 2)
p) Decomposition temperature	No data available	
q) Viscosity	2,500 - 4,000 mPa·s (25°C)	

10. Stability and reactivity

10.1 Reactivity

No reactivity hazard other than the effects described in sub-sections below.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Can form potentially explosive atmosphere in air. May react violently with oxidants.

10.4 Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. -No smoking.


Maruni

SAFETY DATA SHEET

10.5 Incompatible materials

Air, Oxidiser

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. If involved in a fire the following toxic and/or corrosive fumes may be produced by thermal decomposition;

Carbon dioxide and Carbon mono-oxide

11. Toxicological information

element 1 : Solvent naphtha
 ## element 2 : Methyl cyclo hexane
 ### element 3 : Coumarone-indene resins

Information on toxicological effects

	(element 1)	(element 2)	(element 3)
Acute toxicity			
LD50 Oral - Rabbit -	No data available	4,000 - 4,500mg/kg	No data available
LD50 Oral - Rat -	No data available	3,200mg/kg	No data available
Skin corrosion/irritation			
Skin - Rabbit Result :	Group 2	mild	Group 3
Eye damage/eye irritation			
Eyes - Rabbit Result :	Group 2	mild	Group 2
Respiratory or skin sensitization	No data available	No data available	Group 1
Germ cell mutagenicity	No data available	No data available	No data available
Reproductive toxicity	No data available	No data available	No data available
Specific target organ toxicity - single exposure	Group 3	Group 3	Group 2
Specific target organ toxicity - repeated exposure	No data available	No data available	Group 1



SAFETY DATA SHEET

12. Ecological information

	(element 1)	(element 2)
12.1 Toxicity		
LC50	0.1mg/L/96h(Mysidopsis bahia)	3.3mg/L/96h(Artemia salina)
BOD	No data available	0%
12.2 Persistence and degradability		
	No data available	No data available
12.3 Bioaccumulative potential		
	No data available	No data available
12.4 Mobility in soil		
	No data available	No data available
12.5 Results of PBT and vPvB assessment	Non-classified PBT substance, Non-classified vPvB substance	
12.6 Other adverse effects	Toxic to aquatic life with long lasting effects.	

13. Disposal considerations

Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. Transport information

14.1 UN number			
ADR/RID : 1133	IMDG : 1133	IATA : 1133	
14.2 UN proper shipping name			
ADR/RID :	ADHESIVES, containing flammable liquid		
IMDG :	ADHESIVES, containing flammable liquid		
IATA :	ADHESIVES, containing flammable liquid		



SAFETY DATA SHEET

14.3 Transport hazard class(es)

ADR/RID : 3

IMDG : 3

IATA : 3

14.4 Packaging group

ADR/RID : II

IMDG : II

IATA : II

14.5 Environmental hazards

ADR/RID : Environmentally Hazardous Substance

IMDG : Environmentally Hazardous Substance

IATA : Environmentally Hazardous Substance

14.6 Special precautions for user

Keep away from sources of heat and ignition.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Authorisations and/or restrictions on use

Notification Status

Europe REACH : On inventory, or in compliance with the inventory

United States of America TSCA : On inventory, or in compliance with the inventory

Japan ENCS : On inventory, or in compliance with the inventory

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

16. Other information

NOTICE: MARUNI INDUSTRY CO., LTD. believes that information contained on this safety data sheet is accurate. The suggested procedures are based on experience as of the date of publication. They are not necessarily all-inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with nor followed in violation of applicable laws, regulations, rules or insurance requirements.

NO WARRANTY IS MADE, EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR PARTICULAR PURPOSE OR OTHERWISE.

Maruni Industry Co., Ltd

Date: September 27, 2019

 Technical Division